			Copyright 2017 Refrigeration Hardware Supply Corporation				
	(HS)	REFRIGERATION HARDWARE SUPPLY CORPORATION					
	Wall	632 Foresight Circle, Grand Junction, CO 8 Phone: (800) 716-7788 • FAX: (800) 835-6 Email: colorado@rhsparts.com	9021 Norris Ave., Sun Valley, CA 91352 Phone: (800) 537-8300 • FAX: (800) 833-3515 Email: california@rhsparts.com				
		CUSTOM WALK-IN DOOR FORM (OFFSET DOOR & 'L' FRAME-rough wall opening) FORM 4					
•		FAX#:		From:	•	_Quote#	
Date	e:		Ship	to: (If Different)		
Firm Name:				Name:			
Street Address:				Street Address:			
City:				City:			
State: Zip:				State: Zip:			
Phone # _()				Attention to:			
Fax#_()				Is the above a residence?			
Email: Is a lift gate required for delivery?							
1)	Quote	Order O	order P	O #:			
2)	Number of doors						
3)	Measurem	nent of rough opening width and height		A =(wid	dth)	B =(height)	
4)	Measurement of floor height inside the box (4 sided doors only) $\mathbf{C} =$						
5)	Overall wall thickness						
6)	Indicate if door is 4-sided or 3-sided (three sided doors will include bottom wiper gasket)						
7)	Metal finisl	h will be:	····· [_]Embossed galv]Embossed alu		Embossed White	
8)	Which side of door will the hinges be mounted on? (facing door from outside)			Left Right			
9)	Door will b	e used for:		Freezer	Cooler		
10)		tional door jamb heater (RHS Part# 49-160) nded for freezers)] Yes	No		
11)	List any sp	pecial features:					

NOTE: Chrome hinges and one non-key locking latch are included standard. This order is based on a standard construction offset door of 1-3/8." Shipping: All doors and jambs include crating and are shipped F.O.B. from Sun Valley, Calif. Freight charges are additional. A deposit of 50% of the purchase price may be required with your door order. Contact your RHS sales representative for details.





Please provide **DOOR OPENING** measurements. Do NOT provide door measurements.

TYPICAL 3-SIDED OFFSET DOOR & JAMB WITH 'L' FRAME

- A = Door opening width
- Door opening height B =
- Note: Standard door thickness is 3-1/2"

Please include this information with Offset Walk-In Door & 'L' Frame Order Form F-160, pg. 1







Please provide **DOOR OPENING** measurements. Do NOT provide door measurements.

TYPICAL 4-SIDED OFFSET DOOR & JAMB WITH 'L' FRAME

- A = Door opening width
- B = Door opening height
- C = Floor <u>height</u>
- Note: Standard door thickness is 3-1/2"

Please include this information with Offset Walk-In Door & 'L' Frame Order Form F-160, pg. 1





REFRIGERATION HARDWARE SUPPLY CORPORATION

632 Foresight Circle, Grand Junction, CO 81505 Phone: (800) 716-7788 · FAX: (800) 835-6655 Email: colorado@rhsparts.com

9021 Norris Ave., Sun Valley, CA 91352 Phone: (800) 537-8300 · FAX: (800) 833-3515 Email: california@rhsparts.com



CUSTOM WALK-IN DOOR FORM



(OFFSET DOOR & 'L' FRAME-rough wall opening)

ROUGH DOOR OPENING

Please Use This Illustration to Answer Question #2 Offset Walk-in Door Order Form F-160 pg 1.

